Lists of Nepal Interim Benchmark for solid biomass Cook stoves (NIBC, 2016) approved biomass cook stoves (Tested by RETS)

Note:- The validity of Production Introduction test (PIT) certificate shall be 2-year from issued date.

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted		Photograph of Stove
1.	ICS1109 (Local)	Designer: Address: Contact No:	Alternative Energy Promotion Center (AEPC) Khumaltar Height , Lalitpur , Nepal +9771-5539390, 5539391	Mud/double Pot Hole/ Natural Draft / chimney Model: 2-Pot hole raised type Mud ICS	High power Thermal efficiency (%) High Power CO (g/MJd) High Power PM 2.5(mg/MJd) Safety	24 0.30* 24.85* 95 out of 100	
		Certificate Issu			2 nd Aug 2016	-	

* Fugitive emissions value only	oveluding omiccion	from the chimn	01/01/tl0+
* Fugitive emissions value only,	. excluding eniission	i irom the cililii	ev ouliet

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		
		Local Manufacturer Name	Matribhumi Urja pvt.ltd	Mud/double Pot Hole/	High power Thermal efficiency (%)	25.5	
		Address	Basundhara, Kathamandu, Nepal	Natural Draft / chimney	High Power CO (g/MJ _d)	0.32*	
2.	ICS1110 (Local)	Contact No	9841152254	Model: MICS 06 with air supply	High Power PM 2.5(mg/MJd)	29.99*	
				- шт ѕирріу	Safety	91 out of 100	
		<u> </u>	26 th Dec 2016				

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

Photograph of Stove



S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Local Manufacturer Name	Ram BahadurRaut	Mud /Single Pot Hole/ Natural	High power Thermal efficiency (%)	26.39	
		Address	Karthali-9, Sindupalchok	Draft	High Power CO (g/MJ _d)	5.73	
3.	ICS1130 (Local)	Contact No	+977-9803916674	Model:- RautChulo	High Power PM 2.5(mg/MJd)	505.15	
					Safety	91 out of 100	
	Certific			cate Issued date:-	28th Nov 2016	5	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
	ICS1132 (Imported)	Manufacturer Name Manufacturer	Greenway Gramin Infra Pvt Ltd. Navi Mumbai, India	Metallic/single Pot Hole/ Rocket/	High power Thermal efficiency (%)	27.91 3.64	
		Address	Navi Mumbai, muia	Natural Draft	High Power CO (g/MJ _d)	3.04	000
		Local supplier	Smart Power pvt.Ltd		High Power PM 2.5(mg/MJd)	384.55	Comments of the Comments of th
4.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu	Model:- Greenway smart stove/ GSSV3	Safety	85 out of 100	
		Local supplier contact no:	01-4413263/4413362				
			Certific	ate Issued date:-	22 nd Dec 2016		

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
	ICS1133 (Imported)	Manufacturer Name Manufacturer Address Local supplier Local supplier	Greenway Gramin Infra Pvt Ltd. Navi Mumbai, India Smart power pvt.Ltd Ganesh sadan,	Metallic /Single Pot Hole/Rocket Natural Draft Model:- Greenway Jumbo Stove/JS1	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd) Safety	30 4.52 512.40 86.50	Greenway
5.		Address: Local supplier contact no:	Tridevi Marg, Thamel, Kathmandu 01-4413263/4413362		Salety	out of 100	
		Certificate			22 nd Dec 2016		

Applicant Chaitya Metal work Name Shop Metallic /Single Pot Hole/Rocket Natural Draft High Power CO 2.05	
6. ICS1141 (Local) address 17, Kathmandu 17, Kathmandu (g/MJ _d) contact No +9779841268565 Certificate Issued date:- 9 th Jan 2017	5.11.41

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per conducted by NIB	r test	Photograph of Stove
		Applicant Name	Chaitya Metal work shop	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	29.10	Ic61143
7.	ICS1143 (Local)	Applicant address	Dhalko, Chetrapati- 17, Kathmandu	Draft <mark>Model:-</mark> CMR4	High Power CO (g/MJ _d)	3.68	
		Contact No	+9779841268565		High Power PM 2.5(mg/MJd)	500.53	THE REAL PROPERTY OF THE PARTY
					Safety	88.5 out of 100	
			Certific	ate Issued date:-	15 th Jan 2017	•	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as per test of by NIBC 201	conducted	Photograph of Stove
	ICS1147 (Imported)	Manufacturer Name Manufacturer Address Local	Henan Sencer Import and Export Trading Co. Ltd Zhengzhou, Henan, China Vishakha	Metallic /Single Pot Hole/Rocket Natural Draft Model:-	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM	3.03 505.78	SEM GOOK P
8.		supplier Local supplier Address: Local supplier contact no:	Multipurpose Pvt. Ltd Shankhamul, Kathmandu +977 9851079371	SSM-SS	2.5(mg/MJd) Safety	89.5 out of 100	
			Certif	icate Issued date:-	19 th Jan 2017		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perfor parameter as pe conducted by NIB	r test	Photograph of Stove
	ICS1148 (Local)	Applicant Name	Husk Power Nepal Pvt. Ltd	Metallic /Single Pot	High power Thermal efficiency (%)	30.29	
		Applicant address	Birgunj-11, Parsa, Nepal	Hole/Rocket Natural	High Power CO (g/MJ _d)	2.94	
		Applicant Contact No	+977 9851134169	Draft Model:- HPNJE-01ND	High Power PM 2.5(mg/MJd)	300.19	ICS \$1148
9.							
				III NJE-UIND	Safety	89.5 out of 100	
			Certific	cate Issued date:-	18 th Jan 2017		

S.N	RETS ID				Photograph of Stove		
					parameter as per test co by NIBC 2016		
		Manufacturer Name	Hotpoint Energy Technologies Pvt. Ltd	Metallic/single Pot Hole/	High power Thermal efficiency (%)	27.68	
	ICS1151 (Imported)	Manufacturer Address	North Kurunagappally kerala , India	Rocket/ Natural Draft	High Power CO (g/MJ _d)	2.14	TCS 11-ST
		Local supplier	M.N International	Model:- Micro Hotpoint HP-CS-2	High Power PM 2.5(mg/MJd)	406.9	33
10.		Local supplier Address:	Kathmandu, Nepal		Safety	89.50 Out of 100	
		Local supplier contact no:	+977 9851023972				
			cate Issued date:-	23 rd Jan 2017	1		

S.N	RETS ID Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove	
		Manufacturer Name	Green Vitality Solution Industries	Metallic/single Pot Hole/	High power Thermal efficiency (%)	27.05	
	ICS1153 (Imported)	Manufacturer Address	Delhi, India		4.30	ICS 1153	
		Local supplier	PSS energy Pvt. Ltd	Model:- Adhunik Chula /SP26ND	High Power PM 2.5(mg/MJd)	380.50	TANKS .
11.		Local supplier Address:	Sano Bharyang-15, Kathmandu		Safety	81.5 out of 100	
		Local supplier contact no:	+977-01-4272877				
			Certifi	cate Issued date:-	26 th Jan 2017		

S.N	RETS ID	Manufacture	r/ Developers Details	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove	
	ICS1154 (Imported)	Manufacturer Name Manufacturer Address Local supplier	Envirofit India Pvt. Ltd. Pune-411021, Maharashtra, India Future Now Pvt. Ltd.	Metallic/single Pot Hole/ Rocket/ Natural Draft	High power Thermal efficiency (%) High Power CO (g/MJ _d) High Power PM 2.5(mg/MJd)	25.54 4.15 443.74	I.C.S.1154
12.		Local supplier Address: Local supplier contact no:	Jwagal-10, Kupondol, Lalitpur Tel: +977 01- 5553870, 5550452	Model:- Envirofit PCS	Safety	86.50 out of 100	
				eate Issued date:-	7 th Feb 2017		

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name Manufacturer Address	Tanu Solutions Pvt. Ltd. Gujarat, India	Metallic/single Pot Hole/ Rocket/ Natural Draft	High power Thermal efficiency (%) High Power CO (g/MJ _d)	25.17 3.81	Ics 1155 Ics 11/2
12	ICS1155 (Imported)	Local supplier	Environment Protection Center Nepal	Model:- NIRMAL	High Power PM 2.5(mg/MJd)	420.31	S NRMA S NR THE
13.		Local supplier Address:	Chandrapur-1, Rautahat, Nepal		Safety	89.50 out of 100	
		Local supplier contact no:	Tel: +977 9851120128				
			cate Issued date:-	1 st March 2017			

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Manufacturer Name	Henan Sencer Import and Export Trading Co. Ltd	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	31.51	
		Manufacturer Address	Zhengzhou, Henan, China	Draft	High Power CO (g/MJ _d)	4.94	C/SA 1
14.	ICS1152 (Imported)	Local supplier	Vishakha Multipurpose Pvt. Ltd	Model:- SSM-GA	High Power PM 2.5(mg/MJd)	302.85	SSMANO
		Local supplier Address:	Shankhamul, Kathmandu		Safety	89.5 out of 100	
		Local supplier contact no:	+977 9851079371				
			Certif	icate Issued date:-	4 th April 2017		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Chaitya Metal work shop	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	26.55	
15.	ICS1142 (Local)	Applicant address	Dhalko, Chetrapati- 17, Kathmandu	Draft Model:- CMR3	High Power CO (g/MJ _d)	4.97	ItS1.1 42
		Contact No	+9779841268565	. Charle	High Power PM 2.5(mg/MJd)	408.25	
					Safety	82.5 out of 100	
			Certific	eate Issued date:-	23 rd Apr 201	7	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove	
		Manufacturer Name	Greenway Gramin Infra Pvt Ltd.	Metallic /Single Pot Hole/Rocket	High power Thermal efficiency (%)	29.8		
	ICS1156 (Imported)	Manufacturer Address	Navi Mumbai, India	Natural Draft	High Power CO (g/MJ _d)	3.55		
		Local supplier	Smart power Pvt. Ltd	Model:- Greenway Smart Stove/SP1		High Power PM 2.5(mg/MJd)	328.79	ECS 1156
16.		Local supplier Address:	Ganesh sadan, Tridevi Marg, Thamel, Kathmandu		Safety	85.50 out of 100		
		Local supplier contact no:	01-4413263/4413362					
			Certif	icate Issued date:-	4 th Apr 2017			

S.N	RETS ID	Manufacturei	r/ Developers Details	Type/ Model	Type/ Model Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Mimi Moto	Biomass / Forced Draft /	High power Thermal efficiency (%)	49.39	
	ICS1173 (Imported)	Manufacturer Address	Mimi Moto BV, Duinzoom 20-a,3233 EG Oostvoorne, The Netherlands	Metallic /One pot/Gasifier Stove	High Power CO (g/MJ _d)	2.07	
17.		Local supplier	Charge Nepal Pvt. Ltd.	Model:- Mimi Moto	High Power PM 2.5(mg/MJd)	55.45	mimi 🖒 moto 🔭
		Local supplier Address:	Pokhara, Nepal		Safety	98.00 out of	
		Local supplier contact no:	Tel: +977- 9823131037			100	J.C.
			Certific	ate Issued date:-	11 th April 2017		Tested with pellet

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Perform	mance	Photograph of Stove
					parameter as per test		
					by NIBC 201		
		Manufacturer	Shengzhou Huimei	Metallic /Single	High power Thermal	30.41	
		Name	International Trade	Pot Hole/Rocket	efficiency (%)		
			Co Ltd.	Natural			
		Manufacturer	Nongxi Bridge,	Draft	High Power CO	4.94	SSM COOK, 1172
		Address	Ganlin Town,		(g/MJ_d)		TOOK. II.
	ICS1172		Shengzhou, China				
	(Imported)	Local	MinErgy Pvt. Ltd.	Model:-	High Power PM	453.13	
18.		supplier		SSM/S32-11	2.5(mg/MJd)		
		Local supplier	Gusingal, Lalitpur		Safety	84.5 out	
		Address:				of 100	
		Local supplier	+977 01-				
		contact no:	5555714/5555715				
			Certif	icate Issued date:-	28 th Apr 2017		

S.N	RETS ID	Manufacture	facturer/ Developers Details Type/ Model		Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Designer:	Alternative Energy Promotion Center (AEPC)	Biomass/2- pothole / Metallic/Natural Draft /with Chimney	High power Thermal efficiency (%)	18.17	
19.	ICS1123 (Local)	Address:	Khumaltar Height, Lalitpur, Nepal		High Power CO (g/MJ _d)	0.44*	
		Contact No:	+9771-5539390, 5539391	Model: AEPC/2-pot MICS	High Power PM 2.5(mg/MJd)	30.92*	1833V T
					Safety	83.5 out of 100	AMIC W
	Certifi			icate Issued date:-	26 th Feb 2017		

^{*} Fugitive Emission value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	c/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Designer:	Alternative Energy Promotion Center (AEPC)	Biomass/3- pothole / Metallic/Natural	High power Thermal efficiency (%)	22.35	
	ICS1124 (Local)	Address:	Khumaltar Height , Lalitpur , Nepal	Draft /with Chimney	High Power CO (g/MJ _d)	0.28*	
20.	(====)	Contact No:	+9771-5539390, 5539391	Model:	High Power PM 2.5(mg/MJd)	39.83*	
				AEPC/3-pot MICS	Safety	83.5 out of 100	
			Certifi	icate Issued date:-	26 th Feb 2017		

^{*} Fugitive Emission value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Designer:	CDRMP/UNDP Nepal / UN House	2-Pot Mud / Natural draft with chimney	High power Thermal efficiency (%)	20.60	
21.	ICS1181 (Local)	Address:	Pulchowk, Lalitpur	Model: UNDP-01 (use of	High Power CO (g/MJ _d)	0.31*	
		Contact No:	Tel:+ 977-01- 5529545 ramraj.narasimhan@u	Air supply disc as grate in Combustion	High Power PM 2.5(mg/MJd)	31.13*	
			ndp.org	chamber	Safety	97 out of 100	
			Certifi	cate Issued date:-	16 th Aug 2017		The state of the s

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Perform parameter as per test c by NIBC 2016	onducted	Photograph of Stove
		Designer:	CDRMP/UNDP Nepal / UN House	2-Pot Mud / Natural draft with chimney	High power Thermal efficiency (%)	22.61	
22.	ICS1182 (Local)	Address:	Pulchowk, Lalitpur	<i>Model:</i> UNDP-02 (use of	High Power CO (g/MJ _d)	1.30*	
		Contact No:	Tel:+ 977-01- 5529545 ramraj.narasimhan@u	Rod structure as a grate in Combustion	High Power PM 2.5(mg/MJd)	34.69*	
			ndp.org	chamber)	Safety	97 out of 100	- The state of the
			Certifi	cate Issued date:-	16 th Aug 2017		

^{*} Fugitive emissions value only, excluding emission from the chimney outlet

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer: Local	Alpha Renewable Energy Pvt. Ltd., Gujarat , India Kalpavriksha Greater	Biomass / Forced Draft / Metallic /One pot/Gasifier	High power Thermal efficiency (%)	36.28	
		Supplier:	Goods Pvt. Ltd.	Stove			
23.	ICS1183 (Imported)	Local supplier Address:	Ratnagar-18, Sauraha, Chitwan	Model:-	High Power CO (g/MJ _d)	4.44	
		Local supplier Contact No:	+977-01- 4415821/9841931275	Eco Domestic Chulo -XXL	High Power PM 2.5(mg/MJd)	205.71	
					Safety	85 out of 100	
			Certifi	cate Issued date:-	21 st Aug 2017		Tested with Wood chips

S.N	RETS ID	Manufacturer	/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name	Srijansil Mahila Udhyog	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	31.92	
24.	ICS1184 (Local)	Applicant address	Tarakeshwor-21, Kathmandu, Nepal	Model:- White Stove-2	High Power CO (g/MJ _d)	9.35	
		Contact No:	+977-9807570001		High Power PM 2.5(mg/MJd)	501.72	
					Safety	85 out of 100	
			Certif	icate Issued date:-	21 th Aug 2017		

S.N	RETS ID	parameter as per ter		Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove	
		Applicant Name	Gramin Urja Tatha Prabidhi Sewa Kendra Pvt.Ltd (RETSC) – <i>via</i> <i>NEEPII/GIZ</i>	Biomass / Natural Draft / Metallic /One pot Rocket Institutional	High power Thermal efficiency (%)	30.82%	
25.	ICS1159 (Local)	Applicant address	Bhanimandal Lalitpur	Model:-	High Power CO (g/MJ _d)	3.07	
		Contact No:	Tel:+ 015547627/ 9847026900	RETSC-RSL	High Power PM 2.5(mg/MJd)	330.04	
					Safety	79 out of 100	
			Certifi	cate Issued date:-	28 th March 2017		

S.N	RETS ID	Manufacture	/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	conducted	Photograph of Stove
		Applicant Name	NEEPII/GIZ	Biomass / Natural Draft / Metallic /One pot Rocket Institutional	High power Thermal efficiency (%)	25.25%	
26.	ICS1161 (Imported)	Applicant address	Khumaltar ,Lalitpur	. Model:- Orka Institutional	High Power CO (g/MJ _d)	2.77	
		Contact No:			High Power PM 2.5(mg/MJd)	403.95	
				Stove	Safety	75 out of 100	
			Certifi	icate Issued date:-	28 th March 2017		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 201	conducted	Photograph of Stove
		Applicant Name:	Shree Dhungeshwori Mechanical Workshop	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	25.52%	C Sells 1
27.	ICS1185 (Local)	Applicant address:	Jiri-5, Dolakha	Model:- ABIRA Stove	High Power CO (g/MJ _d)	8.34	ICS 118
		Contact No:	+977-9808013451		High Power PM 2.5(mg/MJd)	409.63	
					Safety	79 out of 100	
			Certifi	cate Issued date:-	10 th September 20	017	

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name:	JBS Urja Pvt. Ltd	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	25.63	
28.	ICS1188 (Local)	Applicant address:	Katahari-01, Morang	Model:- AMAHI-03	High Power CO (g/MJ _d)	7.15	
		Contact No:	+977-9862064019		High Power PM 2.5(mg/MJd)	415.82	
					Safety	83.5 out of 100	
			Certif	icate Issued date:-	18 th September 20	017	

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Applicant Name:	Jhankar Multiple Concern Pvt. Ltd	Metallic /Single Pot Hole/Rocket Natural Draft	High power Thermal efficiency (%)	28.34	
29.	ICS1189 (Local)	Applicant address:	Ashram Marg-63, Balkhu, Kathmandu	Model:- CNJ-R2 NP	High Power CO (g/MJ _d)	5.65	
		Contact No:	+977 9851037015		High Power PM 2.5(mg/MJd)	298.08	
					Safety	87.5 out of 100	
			Certif	icate Issued date:-	24 th September 2	2017	

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Performaneter as per test of by NIBC 201	conducted	Photograph of Stove
		Applicant Name:	ActSeven Overseas	Metallic /Single Pot Hole/Rocket Natural	High power Thermal efficiency (%)	25.47	
20	ICS1192 (Imported)	Applicant address:	5-Navarangpara, Mavdi Plot Rajkot , India	Draft Model:-	High Power CO (g/MJ _d)	5.35	Siture.
30.		Contact No:	+91-281-2360306, +91-9712900729	SHUBH STOVE	High Power PM 2.5(mg/MJd)	365.89	
					Safety	83.5 out of 100	
			Certifi	icate Issued date:-	12 th October 201	7	(A) A)

S.N	RETS ID	Manufacture	r/ Developers Details	Developers Details Type/ Model		mance conducted 6	Photograph of Stove
		Manufacturer Name	Envirofit India Pvt. Ltd.	Metallic /Single Pot Hole/Rocket	High power Thermal efficiency (%)	25.77	
		Manufacturer Address	Pune-411021, Maharashtra, India	Natural Draft			
31.	ICS1194 (Imported)	Local supplier	Future Now Pvt. Ltd.	Model:- Envirofit PCS-1 High Power CO (g/MJd) 5.57			
31.		Local supplier Address:	Jwagal-10, Kupondol, Lalitpur		High Power PM 2.5(mg/MJd)	463.12	
		Local supplier contact no:	5553870, 5550452		Safety	86.5 out of 100	
			Certifi	cate Issued date:-	13 th October 2017		

S.N	RETS ID	RETS ID Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Sai Grameen Udhyog	Metallic /Single Pot Hole/	High power Thermal	28.79	
	ICS1193 (Imported)	Manufacturer Address	201 Indra Complex Mavai Road Faridabad, India	Natural Draft Model:- GVK 0.65	efficiency (%)		SAI URIA
32.		Local supplier	Lotus Enterprises		High Power CO (g/MJ _d)	5.75	Smart Show
32.		Local supplier Address:	Shantinagar-34, Baneshwor,		High Power PM 2.5(mg/MJd)	342.47	The same and the s
		Local supplier contact no:	+977-9851085279		Safety	75.5 out of 100	
			Certifi	cate Issued date:-	15 th October 2017		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Swami Samarth Electronics Pvt. Ltd.	Metallic /Single Pot Hole/Rocket	High power Thermal efficiency (%)	29.6	
		Manufacturer Address	Ambad, Nasik-10, Maharastra, India	Natural Draft			
33.	ICS1203 (Imported)	Local supplier	Nushant Distributors Pvt. Ltd.	Model:- Agnika ND Eco Mini Stove	High Power CO (g/MJ _d)	2.13	
		Local supplier Address:	Dharan-12, Sunsari, Nepal	Min Stove	High Power PM 2.5(mg/MJd)	424.37	
		Local supplier contact no:	+977-9852055651		Safety	77.5	
			Certifi	cate Issued date:-	3 rd January 2018		

S.N	RETS ID	Manufacture	r/ Developers Details	Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
		Manufacturer Name	Sai Grameen Udyog	Metallic /Single Pot Hole/ Natural	High power Thermal efficiency (%)	30.5	The same of the sa
		Manufacturer Address	Faridabaad, India	Draft			
34.	ICS1205 (Imported)	Local supplier	Adwell International Pvt. Ltd.	Model:- GVK0.65 SS-2	High Power CO (g/MJ _d)	4.48	
		Local supplier Address:	Shantinagar-34, kathmandu		High Power PM 2.5(mg/MJd)	495.59	
		Local supplier contact no:	+977-9851017958		Safety	81.5	
			Certifi	cate Issued date:-	9 th January 2018		

S.N	RETS ID	Manufacture	er/ Developers Details	Type/ Model	Mandatory Perform parameter as per test of by NIBC 2010	onducted	Photograph of Stove
		Applicant Name	Sagun Steel Industies	Metallic /Rocket Natural	High power Thermal efficiency (%)	26.40	
		Applicant Address	Purano Naikap-8, Kathmaudu	Draft Model:-	W. 1. D		C Star D
35.	ICS1206 (Local)	Contact no	+977-9851073438	Envirofit PCS-1	High Power CO (g/MJ _d)	2.75	
					High Power PM 2.5(mg/MJd)	379.77	
					Safety	78 out of 100	
			Certifi	icate Issued date:-	19 th January 2018		

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
36.	ICS1207 (Imported)	Manufacturer Name	VERITY WORKS	Metallic /Single Pot Hole/Batch feeding Natural Draft Model:- AVAJOKA (with combustor)	High power Thermal efficiency (%)	34.06	BAGRA
		Manufacturer Address	No.6, Kribanandha Variyar Street, Chennai, India				
		Local supplier	JBS Urja Pvt. Ltd.		High Power CO (g/MJ _d)	4.66	
		Local supplier Address:	Katahari-1, Morang		High Power PM 2.5(mg/MJd)	412.17	
		Local supplier contact no:	+977-21-538462		Safety	92.5 out of 100	
			Certif	icate Issued date:-	15 th December 2017		

S.N	RETS ID	Manufacturer/ Developers Details		Type/ Model	Mandatory Performance parameter as per test conducted by NIBC 2016		Photograph of Stove
37.	ICS1211 (Imported)	Manufacturer Name	Sai Grameen Udhyog	Metallic /Single Pot Hole/ Natural Draft Model:- GVK 0.65-1 High power Thermal efficiency (%) High Power CO (g/MJd) High Power PM 2.5(mg/MJd) 502.33	0 1	30.23	
		Manufacturer Address	201 Indra Complex, Jevan Nagar Faridabad, India				
		Local supplier	Lotus Enterprises /Shantinagar-34,			5.81	
		Local supplier	Baneshwor,			502.33	
		Address:	Kathmandu				
		Local supplier	+977-9851085279		Safety	77.5 out	
	contact no: Certificate Issue				14 th February 2018	of 100	
				care issued date.	1	•	

Note: The (NIBC, 2016) approved biomass cook stoves doesn't represent the whole lot. This is only certified according to the testing of single sample provided to RETS